International Journal of Applied Optimization Studies
IJAOS
İSÜ İSTİNYE ÜNİVERSİTESİ İSTANBUL

Production Inventory Model of Constant Production and Linear Demand Rate

Hemant Kumar[1], Kailash Chandra Sharma[1], Dharamender Singh[1,*]

[1]Department of Mathematics, Maharani Shri. Jaya. Govt. P.G. College Bharatpur (Maharaja Surajmal Brij University Bharatpur, Rajasthan)

[*] E-mail (corresponding author): dharamender.singh6@gmail.com

ABSTRACT

Stock is one of the most important components of a fulfillment e-business corporation's operation and manipulation. An inventory model for devices that deteriorate at an average rate is the source of the examination. Preservation technology (PT) can significantly lower the cost of deterioration. The paper's freshness is diminishing, the price is typical, demand is contingent on availability, and shortages are not permitted. The version is solved analytically by reducing the entire price of stock, and a numerical assessment is provided to show the solution and model application. These are the study's standout features. For commercial initiative corporations where the call for the price is time-mounted, this model might be utilized to optimize the full price of an inventory. This model assists companies in determining the best raw material replenishment plan and finished product production strategy. The primary goal of this research is to implement a production model in the inventory to determine request dimensions under conditions of linear demand and constant production. The support and control of creating inventories of disintegrating objects has received much attention lately.

Paper type: *Research*

Received 2024-10-02

Revised 2024-12-15

Accepted 2024-12-18

Keywords:

Inventory Model;
Deterioration;
Manufacturing;
Preservation;
Linear Demand Rate.

1. Introduction

There are three sections in the introduction. The purpose of the research is covered in the first section, and a reported literature review is covered in the second. The description of the research contributions appears in the third and final section.

Inventory is the most intriguing and thoroughly researched topic of executive production and activity. Inventory modeling is the most sophisticated area of operations research. A stock is a resource that is idle and has a high financial rate. The process that arranges items according to their accessibility to customers is known as inventory control. However, storing massive amounts is not the best way to handle situations where there is a stock out and meet the demands of customers. In commercial corporations, such as retail stores, wholesalers, manufacturing companies, and even blood banks,

keeping inventory for potential sale or use is not unusual. Inventory is a basic component of all aspects of our lives and can be found in families, businesses, and society at large. It has been there since the beginning of human civilization. Adaptability costs money in inventory, but it comes with a price. One way to think of inventory is as a thing's ability to be used to fill requests for it in the future. Accordingly, a logical inventory model is needed for the board's inventory—the load-up approach and the earliest consistent inventory date back to the second decade of the earlier century. By coincidence, the 1950s to 2000s may have been the peak period for inventory exploration. It was theoretically extended and mathematically articulated the inventory problem. Several important considerations in any inventory framework are different interests with regard to time and cost.

A great deal of research was done in the field of inventory boards to create financial inventory models, economic production quality, or EPQ. Due to the competitive nature of today's market, every assembly association must provide the best product to its customers. This encourages manufacturers to put in more effort to advance the assembly cycle. It is indisputable that the effects of objects deteriorating cannot be ignored. Afterward, the manufacturer can use some amazing innovations, like refrigeration, to reduce the rate of deterioration. We call this innovation "preservation innovation". However, a production catalog prototypical for weakening things with linear requirements, diverse formation rates, and preservation innovation was considered in many studies that concluded with the aforementioned innovation. The production rate is shown to be constant throughout the period in a significant number of news articles, which is not exactly logical. The cost of holding is not always fixed. The state of the market determines this.

1.1. Literature review

The key areas of examination that apply to this paper are highlighted here. This subsection provides an overview of the crucial research that has been done in the area of stock models, which are (1) deterioration rate, (2) production, and linear demand rate. (3) preservation technique.

Deterioration is defined as damage or deterioration that prevents an object from serving its intended purpose. Everything is constantly showing signs of deterioration. It could be high or low, depending on the situation. Many different inventory models break things down, but the most important ones take into account a steady rate of deterioration across an object's extended lifespan, practically speaking, much like with unstable fluids, horticulture goods, etc. Deterioration has a significant impact on many inventory models. Food items, pharmaceuticals, and radioactive materials are examples of models where substantial degradation can happen within the units' appropriate stockpiling period. Anticipating a holding cost of a period of inferior capacity makes sense. The inventory plot for deteriorating items has long been a work in progress. Nevertheless, very few research have looked at the effects of allocating resources to a pace of item deterioration. Generally speaking, degradation is defined as device damage or deterioration. Harris (1915) examined the deteriorating stock. They verified the deteriorating

nature of the items' consumption. They suggested the stock version of the deteriorating device, as stated below:

$$\frac{dQ(t)}{dt}+\theta Q(t)=-f(t)$$

θ deteriorating worth of the item

$Q(t)$ inventory level at a time t after that is the sound for rate at the time

Whitin (1957), who examined style devices deteriorating on the surrender of the garage duration, is credited with helping to first study the stock problem of deteriorating devices. Stock versions for a time set up possession price & and deterioration with salvage fees and shortages were covered by Mishra (2012). A complex stock model with a partial backlog, deterioration of time, and established inventory has been covered by Sarkar and Sarkar (2013). Khara et al. (2017) looked into a flawed production system that resulted in both perfect and flawed goods. Factory-made goods are typically inspected using a 100% communication progression, and any faulty goods are separated from the rest of the manufactured goods. Products that aren't perfect are either repaired or offered at a discounted price, and everything else is retailed. Benkherouf et al. (2017) examined the effects of assembling out-of-order items on a production model. The authors surmised that once the typical creation cycle was completed, a constant rate of revamps caused damage to objects. Scientists and researchers have recently used a variety of methodologies to investigate inventory issues, including Jana and Bera (2017), Mahata (2020), Sultana et al. (2020), and Dizbin et al. (2020). The machine creates a defective product in this defective, deteriorating system of manufacturing, endangering superiority deterioration. A few authors took non-instantaneous deterioration into account. For example, Manna et al. (2017) and Singh (2018) presented a great deal of complex estimating for an imperfect exchange framework with a mechanical rate that depends on the flawed rate and ad subordinate interest. A control problem that restricts the ongoing cost of the structure in a consistent state by controlling when generating an accessible portion was covered by Pervin et al. (2023).

Many researchers use production stock versions of artwork instead of inventory issues to address real-world problems through the application of excellent inventory models. The economic organization employer deals with a variety of terminology on the job, such as requests that are linear, quadratic, exponential, time-dependent, inventory-based, or diploma-based, among many others. Based on the pattern selection, the companies determine how much to supply and when to supply. Holding costs can never remain constant in a market environment. It undergoes linear change. An inventory system is considered efficient when the cost of keeping a product is time-dependent and correlated with the duration of product holding and the creation rate. A couple of studies on production and stock writing are discussed. The effect of the variable creation rate was developed by Sarkar et al. (2011) and is similar to the effect of time-dependent croft cost in the basic inventory model. Some researchers, Kumar et al. (2014) and Sivashankari and Panayappan (2015), discussed a production stock model for

continuously deteriorating things with two unique paces of creations and deficiencies. Alfares and Ghaithan (2016), Khanra (2016), and Ukil (2016) demonstrated that a production model with constant and time depending on the cost of holding assumes an important part. They have fostered the creation of a stock model for two-level design with declining things and identified defects. Studies by Sarkar and Lee (2017) indicate that this exploration hole is satisfactory. They proved that certain important components inside the inventory network are assumed for the formation pace of the manufacturers that produce comparable items.

Shah (2017), and Khedlekar and Namdeo (2017) inferred a creation stock model with disturbance rate time proportional interest and thinking about lack. Viji and Karthikeyan (2018) showed a financial formation amount model for three degrees of invention with Weibull conveyance deterioration and lack. This retailer is expected to review the notable, broadly utilized request up-to strategy in making renewal decisions and arrange from two suppliers who contrast inconstancy and expenses. Singh (2019) has discussed the production inventory model with the selling price. Cardenas et al. (2021) analyzed the potential indivisible role of holding costs in production. It rises over time because a large capacity necessitates more expensive stockroom offices. This analysis shows a deficient inventory model for a single item, where the interest rate is dependent on the selling price and time, as shown by a force design. When the rate of demand is an inventory function space allotted to the products on retail shelves, Srivastava et al. (2023) and Singh et al. (2023) have calculated the production inventory replenishment policies.

Renovation generation (RT) needs to pay close attention because of the rapid changes in society and the fact that RT can significantly lower the rate of deterioration, which means lowering financial losses, improving the quality of customer service, and creating a boom initiative employer device. A few researchers have researched the protection effect era investment Hsu et al. (2010), Chung & Yu (2012), Dye and Hsieh (2012), He and Huang (2013), and Dye (2013). A manufacturing stock version with a typical manufacturing price and contact primarily based on linear fashion has been described by Ukil et al. (2016). According to Bardhan et al. (2017), the best replenishment insurance and preservation era investment are necessary for an object that isn't currently deteriorating and has an inventory hookup. Mishra et al. (2017) have explained controllable deterioration and stock dependent an uncertain preservation technique method discussed by many researchers. Taleizadeh (2018) presented a flawed industrial system that addresses fractional backorder for a defective item and protective conservation. According to Palanival and Sugunya (2022), the article effectively expands the benefit of inventory to the ideal amount and multiplies it halfway with holding costs that are dependent on capacity periods. A three-level production inventory model with a preservation technique was explained by Singh et al. in 2022. It is essential to take preservation innovation and technology (IT) into account in order to preserve the product for an extended period of time. IT can effectively reduce the amount of degradation by lowering financial losses, boosting customer support, and stepping up marketing efforts.

1.2. Research contribution

This paper aims to increase the level of patron provision and boost the attractiveness of business with no shortage. Additionally, in order to maximize overall profit, minimize total inventory cost, and explain the model, we employed analytical and numerical techniques. By combining a time-based inventory model with a regular production charge, the suggested model seeks to obtain the maximum exquisite inventory fee and maximum useful time cycle. By using a numerical example and appealing convex assets, the paper must demonstrate that the goal of developing this model has been achieved. The paper concludes with a review of the literature, comparisons of the models, notations and assumptions used in the model, model development, numerical examples, sensitivity analysis, and suggestions for further research on the topic. While the existing models frequently overlook the production rate and instead consider the cost of on-the-spot replenishment, this paper presents an inventory model with a name for strength, consistent production rate, and minimal deterioration. The demand's shape, which changes as power is traded inside the power function, is defined by the power call. The main goal of this broadside is to support production plans, after which the best renewal strategy for raw materials that experience directive and deterioration rates will be determined. A production inventory model with fractional multiplying along with stock-subordinate demand for non-momentary decaying things under inflationary conditions was presented by Shen et al. (2019). Having deficiencies is not acceptable. The fluctuating demand rate is dependent on the fleeting, perfect opportunity for the subsequent renewal. The following component is included in this paper to examine the current model.

(i) Controllable corrosion, i.e., preservation technology, is presented

(ii) Linear demand rate is incorporated

(iii) Shortages are not allowed.

Section 2 provides the suggested inventory model's goals, notations, and suppositions. The paper is prearranged as follows. Section 3 discusses the cost intention and mathematical design of the manufactured inventory system. The theoretical development of raw material cost design and finished goods manufacturing is derived in Section 4. Section 5 used an arithmetical illustration to discuss the outcome and support the planned model. The suggested model's graphical representation, sensitivity analysis of a crucial parameter, and solution algorithm are provided in Section 6. Managerial implications are examined in Section 7. Section 8 provides recommendations for immediate investigation work in order to reach an inclusive verdict. We employ numerical and analytical methods in this paper to solve the model, minimize the overall inventory cost, and maximize total profit. A sensitivity analysis is additionally carried out to verify the model's stability for every parameter in the best possible solutions. We have provided a solution-search process to determine the best production time and preservation technique.

2. Notations and assumptions

This section defines the foundational elements required to create the suggested model and formulates the associated optimization problem. This section specifically introduces the following symbolizations and underlying presumptions.

2.1. Notations

The constraints of raw materials price by the manufacturer are as follows:

(i) s_r = Ordering cost. [($/order)]

(ii) c_r = Unit swarth of raw materials. [unit]

(iii) h_r = Holding worth of raw material per unit period. [unit/ unit-time]

(iv) θ_1 = Persistent deterioration proportion of raw materials. [unit time]

(v) ξ = Preservation technology (PT) cost is used to reduce to deterioration rate, $\xi > 0$ [Decision Variable]

(vi) θ_r = Resultant deterioration rate, $\theta_r = \theta_1 e^{-\alpha\xi}$ of raw materials. [quantity unit/ unit]

(vii) q_r = Lot size per distribution from supplier to manufacturer.

(viii) n_r = Numeral of raw materials transports from dealer to manufacture [Positive Integer], [Decision Variable]

(ix) f = Unit procedure of raw materials for each complete product.

(x) TC_r = Total charge of raw materials. [$ / unit]

The manufacturer's cost parameters are as follows:

(i) c_p = Unit manufacture cost of deteriorating thing.

(ii) p = Production level. [$ /units)]

(iii) h_p = Unit holding price finished goods per unit time. [unit/ unit-time]

(iv) θ_2 = Persistent deterioration level of finished goods. [unit time]

(v) θ_p = Resultant deterioration rate, $\theta_p = \theta_2 e^{-\alpha\xi}$. [quantity unit/ unit]

(vi) A = Setup cost. [setup / $]

(vii) T_1 = Optimal time. [time unit] [Dependent Decision Variables]

(viii) TC_p = Total cost of finished goods. [$ / unit]

(ix) TC = Total cost (raw material and finished products) [$/order]

(x) $I_i(t)$ = Inventory level in the i^{th} interval $i = 1\&2$. [units]

2.2. Assumptions

The problem formulation is based on the fulfillment of the following criteria.

(1) Production amount is constant and superior to several demand rates $(a+bt)$.

(2) The planning distance is limited.

(3) Lead time is insignificant.

(4) The demand rate is a direct function of time.

(5) The rates at which materials and completed goods deteriorate are predictable and under control.

(6) Recycled preservation technology is used to monitor the rate of corrosion. The rate of deterioration is monitored using preservation expertise.

(7) The length of the waiting period for a subsequent replenishment through a subcontract determines how much is reserved during the routine out period. The rate of deterioration is tracked using preservation expertise.

(8) During the planning horizon, deteriorating units are not replaced or repaired.

(9) The most crucial investment to keep the product from deteriorating is preservation technology. Investing in preservation technologies can improve the deterioration of items, and the resulting decreased deterioration rate is $m(\xi)$, where $0<m(\xi)<1.$

(10) Shortage is not allowed.

3. Mathematical Design of the Problem and Explanation

According to my interpretation of the modern market measure, every sequence begins with the opening market and ends with the final market. For every bazaar, the mandated rate and trade price are different. Every cycle begins with the entire market's demand mass moving in one direction. In this classic, at the preliminary time $t=0$, the manufacturer starts with a zero-level routine cycle. The final production inventory level without shortage is shown in Figure 1.




Fig. 1. Final Production Inventory Level Without Shortage.

3.1. Manufactures finished goods inventory model

The rate of conversion of inventory throughout a confident stock period $[0,t_1]$ and $[t_1,t_2]$ is

administrated by the succeeding differential equations

$$\frac{dI_1(t)}{dt}+\theta_p I_1(t)=p-(a+bt) \tag{1}$$

$$\frac{dI_2(t)}{dt}+\theta_p I_2(t)=-(a+bt) \tag{2}$$

With limit circumstance $I_1(0)=0 \;\&\; I_2(t_2)=0$ (3)

Explanation of the differential equations (1) and (2) with boundary condition (3) is as survey:

$$I_1(t)=\frac{e^{-t\theta_p}(a\theta_p-b-p\theta_p)+b-a\theta_p+p\theta_p-bt\theta_p}{\theta_p^2} \tag{4}$$

$$I_2(t)=\frac{e^{\theta_p(t_2-t)}(a\theta_p-b-bT_2\theta_p)+b-a\theta_p-bt\theta_p}{\theta_p^2} \tag{5}$$

Inventory level $I_1(t)$ and $I_2(t)$ are equivalent at time $t=T_1$ i.e. $I_1(T_1)=I_2(T_1)$

$$T_1=\left[\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{p\theta_p^2}\right] \tag{6}$$

Proposition 1: Here $\theta_p<1$ then T_1 is cumulative in θ_p.

By equation (6) we can write

$$\frac{dT_1}{d\theta_p}=\left[\frac{-2(b-a\theta_p+e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)}{p\theta_p^3}+\frac{-a+abe^{t_2\theta_p}+be^{t_2\theta_p}t_2\left(bt_2+a\theta_p-b\right)}{p\theta_p^2}\right]$$

$$\frac{dT_1}{d\theta_p}=\left[\frac{-2b+a\theta_p+be^{t_2\theta_p}\left\{b(t_2-1)(t_2\theta_p-2)+a\theta_p(t_2\theta_p-2)\right\}}{p\theta_p^3}\right]$$

$$\geq\left[\frac{-2b+a\theta_p+be^{t_2\theta_p}\left\{b(t_2-1)(t_2\theta_p-2)+a\theta_p(t_2\theta_p-2)\right\}}{p\theta_p^3}\right]\geq 0$$

Here θ_p rises optimum production time T_1 intensification that is further products essential for generate. We achieve that to retain small deterioration is a more operative method to preserve the lower price of production of objects.

3.2. Cost calculation of complete products

1. Set up cost $TD_p=A$ (7)

2. The holding cost of finished products is $TH_p=h_p\left[\int_0^{t_1}I_1(t)+\int_{t_1}^{t_2}I_2(t)\right]dt$

$$TH_p = h_p \left[\frac{1}{2\theta^3} \begin{Bmatrix} e^{\theta(-t_1)}(b(2-e^{\theta t_1}(\theta t_1(\theta t_1-2)+2)) \\ -2\theta(a-p)(e^{\theta t_1}(\theta t_1-1)+1)) \end{Bmatrix} + \frac{1}{2\theta^3} \begin{Bmatrix} 2a\theta(\theta t_1 + e^{\theta(t_2-t_1)} - \theta t_2 - 1) + \\ b(-2\theta t_1 + \theta^2(t_1-t_2)(t_1+t_2) \\ +2(\theta t_2 - 1)e^{\theta(t_1-t_2)} + 2) \end{Bmatrix} \right]$$

$$TH_p = h_p \left[\frac{1}{2\theta^3} \begin{Bmatrix} e^{\theta(-t_1)}[2\{e^{\theta t_2}(a\theta + b(\theta t_2 - 1)) + b - a\theta + \theta p\} \\ -\theta e^{\theta t_1}\{\theta t_2(2a + bt_2) + p(2 - 2\theta t_1)\}] \end{Bmatrix} \right] \quad (8)$$

3. Deterioration cost of finished product $TD_p = c_p[Total\ Production - total\ demand]$

$$TD_p = c_p\left[pT_1 - \int_0^{t_2}(a+bt)\right] \quad TD_p = c_p\left[pT_1 - at_2 - \frac{bt_2^2}{2}\right] \quad (9)$$

4. Preservation cost of finished products $PT = \xi t_2$ (10)

The total budget for finished goods $TC_p = k_0 + TH_p + TD_p + PT_c$

$$TC_p = \left[\begin{matrix} A + \frac{h_p}{2\theta^3}\left\{e^{\theta(-t_1)}[2\{e^{\theta t_2}(a\theta + b(\theta t_2 - 1)) + b - a\theta + \theta p\} - \theta e^{\theta t_1}\right. \\ \left.\{\theta t_2(2a + bt_2) + p(2 - 2\theta t_1)\}\right\} + \xi t_2 + c_p\left\{pT_1 - aT_2 - \frac{bt_2^2}{2}\right\} \end{matrix} \right] \quad (11)$$

3.3. Manufactories' cupboard raw materials inventory archetypal




Fig. 2. Raw Ingredients of Inventory System.

The raw material inventory level is shown in Figure 2. The inventory near of raw material spreads to zero outstanding to deterioration and ingesting of demand at the time $t = (T_1 / n_r)$, which can be verbalized as:

$$\frac{dI_1(t)}{dt} + \theta_r I_r(t) = -fp\ ;\ 0 \le t \le \frac{T_1}{n_r} \quad (12)$$

Using the boundary circumstance $I_r\left(T_1 / n_r\right) = 0; r = 1,2$ (13)

We have $I_r = \frac{fp}{\theta_r}\left[e^{-\theta_r\left(t-\frac{T_1}{n_r}\right)}-1\right] = \frac{fp}{\theta_r}\left[e^{\theta_r\frac{T_1}{n_r}}\left(1-\theta_r t+\frac{(\theta_r t)^2}{2}-..\right)-1\right];\ 0\le t\le \frac{T_1}{n_r}$ (14)

Delivery q_r from supplier to manufacture becomes

$$q_r = \frac{fp}{\theta_r}\left[e^{\theta_r\left(\frac{T_1}{n_r}\right)}-1\right] = \frac{fp}{n_r}\left[\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{p\theta_p^2}\right] \quad (15)$$

3.4. Cost calculation of raw material

1. The ordering price of raw materials $TO_r = s_r n_r$ (16)

2. The holding cost of raw material $TH_r = n_r h_r \int_0^{\frac{T_1}{n_r}} I_r(t)\,dt = n_r h_r \int_0^{\frac{T_1}{n_r}} \left\{\frac{fp}{\theta_r}\left(e^{-\theta_r\left(t-\frac{T_1}{n_r}\right)}-1\right)\right\} dt$

$$= \left[\frac{f h_r}{2pn_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{\theta_p^2}\right)^2\left(1+\frac{2\theta_r}{pn_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{\theta_p^2}\right)\right)\right] \quad (17)$$

3. The deterioration charge of raw material $TD_r = c_r\left(n_r q_r - fpT_1\right)$

$$TD_r = c_r\left[\frac{f\theta_r}{2pn_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{\theta_p^2}\right)^2\right] \quad (18)$$

4. The preservation expertise charge of raw material:

$$PTC_r = \xi\frac{T_1}{n_r} = \frac{\xi}{n_r}\left[\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{p\theta_p^2}\right] \quad (19)$$

The total cost of raw material $TC_r = TO_r + TH_r + TD_r + PTC_r$ *or*

$$= \left[\begin{array}{l} s_r n_r + \frac{f h_r}{2pn_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{\theta_p^2}\right)^2\left\{1+\frac{2\theta_r}{pn_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{\theta_p^2}\right)\right\} \\ +c_r\left\{\frac{f\theta_r}{2pn_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{\theta_p^2}\right)^2\right\}+\frac{\xi}{n_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{p\theta_p^2}\right) \end{array}\right] \quad (20)$$

4. Objective (cost calculation of finished products and raw materials)

Total cost of inventory modal $TC = TC_p + TC_r$

$$TC=\left[\begin{array}{l} A+\frac{h_p}{2\theta^3}\left\{2e^{-t_1\theta}\{e^{\theta t_2}(a\theta+b(\theta t_2-1))+b-a\theta+\theta p\}-\theta e^{\theta t_1}\{\theta t_2(2a+bt_2)+p(2-2\theta t_1)\}\right\} \\ +\xi t_2+c_p\left\{pT_1-aT_2-\frac{bt_2^2}{2}\right\}+s_r n_r+c_r\left\{\frac{f\theta_r}{2pn_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{\theta_p^2}\right)^2\right\}+ \\ \frac{fh_r}{2pn_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{\theta_p^2}\right)^2\left\{1+\frac{2\theta_r}{pn_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{\theta_p^2}\right)\right\} \\ +\frac{\xi}{n_r}\left(\frac{e^{t_2\theta_p}\left(bt_2\theta_p+a\theta_p-b\right)+b-a\theta_p}{p\theta_p^2}\right) \end{array}\right] \tag{21}$$

The impartial of the reading is to control the optimum worth of preservation cost ξ^* that decreases the overall cost TC is as charts put $\theta_p=\theta_2 e^{-\alpha\xi}$ *and* $\theta_r=\theta_1 e^{-\alpha\xi}$ then equation reduces to new form as follow.

$$TC=\left[\begin{array}{l} A+h_p\left\{\frac{bt_2(t_2-2T_1)e^{\alpha\xi}}{2\theta_p}\right\}+c_p\left\{pT_1-at_2-\frac{bt_2^2}{2}\right\}+\xi t_2+\frac{fc_r(a+bt_2)^2t_2\theta_1e^{\alpha\xi}}{2pn_r} \\ +s_r n_r+\frac{\xi t_2(a+bt_2)}{pn_r}+\frac{fh_r t_2^2(a+bt_2)^2}{2pn_r}\left\{1+\frac{2\theta_1e^{-\alpha\xi}(a+bt_2)t_2}{pn_r}\right\} \end{array}\right] \tag{22}$$

Differentiate concerning ξ

$$\frac{dTC}{d\xi}=\left[\begin{array}{l} h_p\left\{\frac{\alpha bt_2e^{\alpha\xi}(t_2-2T_1)}{2\theta_2}\right\}-\frac{\alpha e^{-\alpha\xi}\theta_1 fh_r(a+bt_2)^3t_2^3}{p^2n_r^2} \\ +t_2-\frac{\alpha e^{-\alpha\xi}\theta_1 fc_r(a+bt_2)^2t_2^2}{2pn_r}+\frac{(a+bt_2)t_2}{pn_r} \end{array}\right] \tag{23}$$

Once more, Differentiate with respect to ξ

$$\frac{d^2TC}{d\xi^2}=\left[h_p\left\{\frac{\alpha^2bt_2e^{\alpha\xi}(t_2-2T_1)}{2\theta_2}\right\}+\frac{\alpha^2e^{-\alpha\xi}\theta_1fh_r(a+bt_2)^3t_2^3}{p^2n_r^2}+\frac{\alpha^2e^{-\alpha\xi}\theta_1fc_r(a+bt_2)^2t_2^2}{2pn_r}\right] \tag{24}$$

The optimum cost of ξ^* will be designed using Mathematica-software 9 from equation (23). The subsequent impartial of the learning is to determine the optimum value of whole quantity of devilries n_r^*. The manufacturing plant storeroom raw materials inventory model the worth of n_r^*, which reduces TC, where n_r a distinct variable is as tracks discriminate with respect to n_r.

$$\frac{dTC}{dn_r}=\left[\begin{array}{l} s_r-\frac{f\,h_r t_2^2(a+bt_2)^2}{2pn_r^2}-\frac{2f\,h_r\theta_1 e^{-\alpha\xi}t_2^3(a+bt_2)^3}{p^2n_r^3} \\ -\frac{f\,c_r\theta_1 e^{-\alpha\xi}t_2^2(a+bt_2)^2}{2pn_r^2}-\frac{\xi t_2(a+bt_2)}{pn_r^2} \end{array}\right] \tag{25}$$

Again, differentiate with respect to ξ

$$\frac{d^2TC}{dn_r^2}=\left[\frac{f\,h_r t_2^2(a+bt_2)^2}{pn_r^3}+\frac{6f\,h_r\theta_1 e^{-\alpha\xi}t_2^3(a+bt_2)^3}{p^2n_r^4}+\frac{f\,c_r\theta_1 e^{-\alpha\xi}t_2^2(a+bt_2)^2}{2pn_r^3}+\frac{2\xi t_2(a+bt_2)}{pn_r^3}\right] \tag{26}$$

$\frac{\partial^2 TC}{\partial n_r^2}>0$. It is vibrant from equation (26) that is. $\frac{\partial^2 TC}{\partial n_r^2}>0$. The finest value of a total quantity of deviltries n_r^* will be premeditated using Mathematica software as of equation (25).

5. Numerical analysis of the proposed models

The position was taken into contemplation as an example to validate the suggested model, along with the conditions of the subsequent statistics. $200 units are manufactured every week. Raw material deterioration is $0.3 units per week, finished product deterioration is $0.2 units per week, and raw material usage is $3 units per unit of finished product. Raw material ordering costs are $100 per order, production setup costs are $300, raw material value is $10, holding costs for raw materials are $0.15 per week, holding costs for completed products are $0.1 per week, holding costs for preservation parameters are $5, and production costs are $5 per unit. The weekly cost of purchasing finished goods is $3. "The optimal production time T_1^* and the optimal lot size per delivery through the supplier to manufacture q_r^*. The optimum cost of PT cost ξ^*, the optimal" quantity of raw materials deliveries from the dealer to the manufacturer n_r^*, and the optimal total cost TC^* have been calculated with the help of equations (6, 15, 23, 25, and 21), shown in Table 1; The optimal value of ξ^*, n_r^*, q_r^* and TC^* as follows.

Table 1. Optimal Value of Decision Parameter and Others.

T_1^*	q_r^*	ξ^*	n_r^*	**Optimal Cost** TC^*
8.916	1041.76	3.516	1.625	9744.88

5.1 Graphical investigation of the proposed model

The graphical illustration of the optimum total cost with reverence to the number of deliveries of raw material that stands convex shape of TC^* with respect to n_r^* and ξ^* has been revealed in Figure 3 and Figure 4 correspondingly as follow:




Fig. 3. Graph with reverence to TC^* and n_r^*.




Fig. 4. A graph with respect to TC^* and ξ^*.

5.2. Sensitivity Analysis

The effect of alterations in the numerous constraints of the planned model is that the sensitivity investigation is performed by allowing for 20% and 40% upsurge or reduction in each one of the beyond parameters, and all further parameters are the same. The sensitivity investigation is carried out by shifting the itemized parameter p, f, a, b *and* c_r) by -Table 2 shows the sensitivity of the various parameters on the optimal value of $\xi^*, n_r^*, q_r^*, T_1^*$ and total cost TC^* the learning manifested the following facts.

(i) Optimal value of ξ^* changes extremely in the rate of parameters $p \& b$ soberly to the value of $c_r \& f$ whereas very slightly a.

(ii) Ideal value of n_r^* slightly modification in the worth of parameters a, moderately $p, f \& c_r$ and highly with b.

(iii) Finest worth of T_1^* changes highly in the value of parameters $p \& b$ whereas very slightly a.

(iv) Finest value of q_r^* slightly revolution in the worth of parameters a, highly with $f \& b$ whereas moderately with p.

(v) Optimum value of TC^* vagaries decidedly in the value of restrictions b moderately to the value of a whereas very slightly $p, f \& c_r$.

Table 2. Outcome of Deviations of Various Parameter.

Parameter	Percentage Of Change	ξ^*	n_r^*	T_1^*	q_r^*	TC^*
p	40	-16.19	-11.38	-28.59	-06.15	00.43
	20	-06.82	-06.46	-16.70	-03.65	00.25
	-20	07.95	08.31	25.00	05.81	-00.37
	-40	16.19	20.00	66.59	16.50	-00.93
f	40	11.65	12.00	0.00	40.00	-00.58
	20	06.82	06.46	0.00	20.00	-00.29
	-20	-10.23	-07.08	0.00	-20.00	00.29
	-40	-26.99	-15.69	0.00	-40.00	00.59
a	40	06.53	06.46	02.13	02.64	-04.45
	20	03.41	03.38	01.01	01.32	-02.27
	-20	-04.26	-03.38	-01.12	-01.31	02.38
	-40	-08.81	-06.46	-02.13	-02.62	04.86
b	40	15.34	20.62	37.78	50.22	-25.87
	20	09.09	10.77	18.83	24.11	-14.83
	-20	-14.77	-10.77	-18.95	-22.27	20.98
	-40	-39.49	-22.46	-37.89	-42.85	52.96
c_r	40	11.65	10.77	0.00	0.00	-0.55
	20	06.82	05.85	0.00	0.00	-0.28
	-20	-10.23	-06.46	0.00	0.00	0.28
	-40	-26.99	-13.85	0.00	0.00	0.56

5.3. Solution algorithm of this proposed model

The solution algorithm of our anticipated model is given below.

Step 1. Calculate different type of costs using equations (7 to 10) and (16 to 19).

Step 2. Calculate total inventory cost using equation (21).

Step 3. Find first decision variable of ξ, first derivative of Total cost TC w.r.t. ξ and calculate value of ξ. We find positive value of ξ. The value of ξ is 3.516 from equation (23).

Step 4. Calculate the second decision variable n_r, first derivative of Total cost TC w.r.t. n_r. We find positive value of n_r =1.625 from (25).

Step 5. Using the mathematical software Mathematica 9.0, we find decision variable and optimal cost.

Step 6. After that, we plot different graphs with reverence to decision variables to validate the proposed model.

Step 7. Change values of different parameters with rate of +40%, +20%, -20%, -40% and find different results. From these results, we construct a sensitivity analysis.

Step 8. Result

6. Managerial implication

Successful logistics operations in business resulted in greater rates of production, reduced expenses, improved inventory resistor, more creative utilization of warehouse space, happier suppliers and customers, and an all-around better customer experience. These results provide a methodical technique for the procurement, storage, and sale of inventory, including both completed goods and raw materials (components) (products). In the business world, having the appropriate stock at the right amounts, in the right location at the right time, at a fair cost, and at the right price are critical values. The enhancement of purchaser service in manufacturing industries is the primary driving force behind this issue. The retail industry benefits from this study. It will be utilized for a variety of products, including home goods, stylish clothing, and electronic components. Some realistic inventory features, like electronic parts, stylish clothing, household goods, fruits, fish, etc., are included in the suggested model. Consequently, the retailers operating on the components above will benefit from the managerial implications derived from the numerical findings of our suggested model. Business success was logically correlated with improved customer and supplier satisfaction, increased productivity, decreased expenses, greater rates of production, better inventory control, and creative utilization of warehouse space.

7. Conclusion

Global markets present sales opportunities and production challenges for manufacturers of deteriorating goods. By taking benefit of the discrepancy in timing the selling period of the deteriorating things at different markets, an exceptional opportunity to work towards the benefit of a deteriorating producer is presented. In the current cinema era, commercial institutions cannot plan ahead without inventory management. The foundation can only reduce its manufacturing inventory cost by using the right management and consequently developing the right inventory model. The demand in the market

fluctuates constantly. Taking this demand into account, the model is developed. Maybe the market demand will be the same high-level today and low-level tomorrow. The classical inventory strategy we've outlined in this piece may be suitable for satisfying either the rectilinear or exponential requirements. Additionally, it is advantageous from a financial perspective because there are no shortages, which significantly reduces organizational costs. This model appropriately provides the right result, in which the resources have a fixed shelf-life due to deterioration. This paper presents a technique that uses protection technology to determine the best production and inventory strategy for manufacturers of deteriorating substances first. Here, the builder places their goods in one location and sells them in a variety of markets throughout the year. It has been demonstrated that the technique lowers production costs. The manufacturing rate and the decline have been thoughtfully kept constant in the suggested model. An algorithm is developed by the model to control the best ordering price, total cost of mediocre inventory, and best time rotation.

Future studies may take this model into account:

1. We may take into account budgetary restrictions in addition to the limitations on the total number of orders and warehouse space.
2. The time-dependent holding cost and inflation rate were further developed in this paper. Demand rates are also regarded as cubic, quadratic, etc.

Acknowledgment

Authors are obliged to the Maharani Shri Jaya Govt. P. G. College, Bharatpur (Maharaja Surajmal Brij University Bharatpur), Rajasthan India for providing the facilities to conduct this study.

References

Harris, F.W., 1915. Operations and cost. Factory management series, 2, pp.48-52.

Whitin, T.M., 1957. The theory of inventory management. (No Title).

Hsu, P.H., Wee, H.M. and Teng, H.M., 2010. Preservation technology investment for deteriorating inventory. International Journal of Production Economics, 124(2), pp.388-394.

Sarkar, B., Sana, S.S. and Chaudhuri, K., 2011. An imperfect production process for time varying demand with inflation and time value of money–an EMQ model. Expert Systems with Applications, 38(11), pp.13543-13548.

Dye, C.Y. and Hsieh, T.P., 2012. An optimal replenishment policy for deteriorating items with effective investment in preservation technology. European Journal of Operational Research, 218(1), pp.106-112.

Mishra, V.K., 2012. Inventory model for time dependent holding cost and deterioration with salvage value and shortages. The Journal of Mathematics and Computer Science, 4(1), pp.37-47.

Maihami, R. and Kamalabadi, I.N., 2012. Joint pricing and inventory control for non-instantaneous deteriorating items with partial backlogging and time and price dependent demand. International Journal of Production Economics, 136(1), pp.116-122.

Dye, C.Y., 2013. The effect of preservation technology investment on a non-instantaneous deteriorating inventory model. Omega, 41(5), pp.872-880.

He, Y. and Huang, H., 2013. Optimizing inventory and pricing policy for seasonal deteriorating products with preservation technology investment. Journal of Industrial engineering, 2013.

Sarkar, B. and Sarkar, S., 2013. An improved inventory model with partial backlogging, time varying deterioration and stock-dependent demand. Economic Modelling, 30, pp.924-932.

Kumar, S., Vasishtha, A.K. and Gupta, A., 2014. A production control inventory model for continuous deteriorating items with shortages and two different rates of productions. International Journal of Education and Science Research Review, 4(1).

Sivashankari, C.K. and Panayappan, S., 2015. Production inventory model for two-level production with deteriorative items and shortages. The International Journal of Advanced Manufacturing Technology, 76, pp.2003-2014.

Alfares, H.K. and Ghaithan, A.M., 2016. Inventory and pricing model with price-dependent demand, time-varying holding cost, and quantity discounts. Computers & Industrial Engineering, 94, pp.170-177.

Khanra, S., 2016. A production-inventory model for a deteriorating item with shortage and timedependent demand. Yugoslav Journal of Operations Research, 21(1).

Ukil, S.I. and Uddin, M.S., 2016. A production inventory model of constant production rate and demand of level dependent linear trend. American Journal of Operations Research, 6(1), pp.61-70.

Benkherouf, L., Skouri, K. and Konstantaras, I., 2017. Optimal batch production with rework process for products with time-varying demand over finite planning horizon. Operations Research, Engineering, and Cyber Security: Trends in Applied Mathematics and Technology, pp.57-68.

Bera, A.K. and Jana, D.K., 2017. Multi-item imperfect production inventory model in Bi-fuzzy environments. Opsearch, 54, pp.260-282.

Demirag, O.C., Kumar, S. and Rao, K.M., 2017. A note on inventory policies for products with residual-life-dependent demand. Applied Mathematical Modelling, 43, pp.647-658.

Khara, B., Dey, J.K. and Mondal, S.K., 2017. An inventory model under development cost-dependent imperfect production and reliability-dependent demand. Journal of Management Analytics, 4(3), pp.258-275.

Khedlekar, U.K. and Namdeo, A., 2017. Production inventory model with disruption considering shortage and time proportional demand. Yugoslav Journal of Operations Research, 28(1).

Mahata, G.C., 2017. A production-inventory model with imperfect production process and partial backlogging under learning considerations in fuzzy random environments. Journal of Intelligent Manufacturing, 28(4), pp.883-897.

Mishra, U., Cárdenas-Barrón, L.E., Tiwari, S., Shaikh, A.A. and Treviño-Garza, G., 2017. An inventory model under price and stock dependent demand for controllable deterioration rate with shortages and preservation technology investment. Annals of operations research, 254, pp.165-190.

Saha, S., Nielsen, I. and Moon, I., 2017. Optimal retailer investments in green operations and preservation technology for deteriorating items. Journal of Cleaner Production, 140, pp.1514-1527..

Shah, N.H., 2017. Three-layered integrated inventory model for deteriorating items with quadratic demand and two-level trade credit financing. International Journal of Systems Science: Operations & Logistics, 4(2), pp.85-91.

Sarkar, M. and Lee, Y.H., 2017. OPTIMUM PRICING STRATEGY FOR COMPLEMENTARY PRODUCTS WITH RESERVATION PRICE IN A SUPPLY CHAIN MODEL. Journal of Industrial & Management Optimization, 13(3).

SINGH, D. and MUKHERJEE, B., 2018, January. A deterministic inventory model for time-varying demand and holding cost with partial backlogging. In Proceedings of the Jangjeon Mathematical Society (Vol. 21, No. 4, pp. 667-678).

Taleizadeh, A.A., 2018. A constrained integrated imperfect manufacturing-inventory system with preventive maintenance and partial backordering. Annals of Operations Research, 261, pp.303-337.

Viji, G. and Karthikeyan, K., 2018. An economic production quantity model for three levels of production with Weibull distribution deterioration and shortage. Ain Shams Engineering Journal, 9(4), pp.1481-1487.

Shen, Y., Shen, K. and Yang, C., 2019. A production inventory model for deteriorating items with collaborative preservation technology investment under carbon tax. Sustainability, 11(18), p.5027.

Singh, D., 2019. Production inventory model of deteriorating items with holding cost, stock, and selling price with backlog. International Journal of Mathematics in Operational Research, 14(2), pp.290-305.

Dizbin, N.M. and Tan, B., 2020. Optimal control of production-inventory systems with correlated demand inter-arrival and processing times. International Journal of Production Economics, 228, p.107692.

Sultana, M., Singhal, A. and Singh, M.D., 2020. Sensitivity Analysis and Economic Impact of Intervention and Spread of COVID-19 Pandemic. Journal of Seybold Report ISSN NO, 1533, p.9211.

Cárdenas-Barrón, L.E., Mandal, B., Sicilia, J., San-José, L.A. and Abdul-Jalbar, B., 2021. Optimizing price, order quantity, and backordering level using a nonlinear holding cost and a power demand pattern. Computers & Operations Research, 133, p.105339.

Palanivel, M. and Suganya, M., 2022. Partial backlogging inventory model with price and stock level dependent demand, time varying holding cost and quantity discounts. Journal of Management Analytics, 9(1), pp.32-59.

Singh, D., Alharbi, M.G., Jayswal, A. and Shaikh, A.A., 2022. Analysis of Inventory Model for Quadratic Demand with Three Levels of Production. Intelligent Automation & Soft Computing, 32(1).

Pervin, M., Roy, S.K., Sannyashi, P. and Weber, G.W., 2023. Sustainable inventory model with environmental impact for non-instantaneous deteriorating items with composite demand. RAIRO-Operations Research, 57(1), pp.237-261.

Singh, K., Sharma, K.C. and Singh, D., 2023. An Analysis of the Supply Chain Model for Production System Under Selling Price Demand Rate, Controllable Deterioration Rate with Several Market Demand. Communications in Mathematics and Applications, 14(2), p.845.

Srivastava, M., Mehta, P. and Swami, S., 2023. Retail inventory policy under demand uncertainty and inventory-level-dependent demand. Journal of Advances in Management Research, 20(2), pp.217-233.